

Safety Data Sheet

section

1

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation : Scent cire et miel.
Article No (user) : 1724279.
UFI : 4090-G056-1009-HPSN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Ingredient for industrial use: perfume composition.
Uses advised against : No data available.

1.3 Details of the supplier of the safety data sheet

Supplier : **Name:** LAB SAS
Street: 1 rue de la clef des champs
Postal code/City: 68600 Volgelsheim
Country: France :
Telephone: 0389227765
E-mail: Office@labsys.fr

1.4 Emergency Telephone Number

United Kingdom:

+35625454030 +35 (0) 31 837 9964 (medical professionals) +35 (0) 31 809 2166 (public) In England and Wales: dial 111 (NHS 111), In Scotland: dial 111 (NHS 24), In Northern Ireland: Contact your local GP or pharmacist during normal hours. During GP Out-of-Hours (www.gpoutofhours.hscni.net/): Belfast HSC Trust, (North & West) 028 9074 4447, (South & East) 028 9079 6220 South Eastern HSC Trust, (North Down & Ards) 028 9182 2344, (Lisburn & Downpatrick) 028 9260 2204, Dalriada Urgent Care (Northern Trust area) 028 2566 3500, Southern HSC Trust 028 3839 9201, Western Urgent Care 028 7186 5195.

section

2

Hazards identification

2.1 Classification of the substance or mixture

Classification according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Hazards identification:

| | | |
|------|-------------------|--|
| H226 | Flam. Liq. 3 | Flammable liquid and vapour. |
| H315 | Skin Irrit. 2 | Causes skin irritation. |
| H317 | Skin Sens. 1 | May cause an allergic skin reaction. |
| H318 | Eye Dam. 1 | Causes serious eye damage |
| H400 | Aquatic Acute 1 | Very toxic to aquatic life. |
| H411 | Aquatic Chronic 2 | Toxic to aquatic life with long lasting effects. |

2.2 Label elements

Label elements according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Labelling

Hazard pictograms

Signal word

Danger

Hazard Statements

| | |
|------|--|
| H226 | Flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

Supplemental Hazard information (EU)

| | |
|--------|--|
| EUH208 | Contains 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one, coumarin, (R)-p-mentha-1,8-diene, p-mentha-1,4(8)-diene, caryophyllene, p-mentha-1(7),2-diene, pin-2(3)-ene, pin-2(10)-ene, phenylacetaldehyde. May produce an allergic reaction. |
|--------|--|

Precautionary Statements - Prevention

| | |
|------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and all other ignition sources. Do not smoke. |
| P233 | Keep container tightly closed. |
| P240 | Ground and bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting/.../equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P264 | Wash ... thoroughly after handling. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |

Precautionary Statements - Response

| | |
|------------|--|
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P303+P361+ | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. |
| P353 | |
| P305+P351+ | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to |
| P338 | do. Continue rinsing. |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P370+P378 | In case of fire: Use ... to extinguish. |
| P391 | Collect spillage. |

Precautionary Statements - Storage

| | |
|-----------|--|
| P403+P235 | Store in a well-ventilated place. Keep cool. |
|-----------|--|

Precautionary Statements - Disposal

| | |
|------|---------------------------------------|
| P501 | Dispose of contents/container to |
|------|---------------------------------------|

Contains

phenethyl acetate, pin-2(3)-ene, 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one

2.3 Other hazards

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

3.2 Mixtures

In accordance with the product knowledge, no nanomaterials have been identified.

The mixture does not contain any substances classified as Substances of Very High Concern (SVHC) by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>.

| Substance | Concentration (%) | Specific concentration limits | Classification |
|--|-------------------|--|--|
| 2-phenylethanol | | | |
| CAS N° 60-12-8 EC N° 200-456-2 IDX N° Registration number 01-2119963921-31-XXXX | C= 25.01% | ETA (orale): 1610 mg/kg ETA (cutanée): 2500 mg/kg | H302 Acute Tox. 4 ORAL H319 Eye Irrit. 2 |
| benzyl benzoate | | | |
| CAS N° 120-51-4 EC N° 204-402-9 IDX N° 607-085-00-9 Registration number 01-2119976371-33-XXXX | C= 15.04% | | H302 Acute Tox. 4 ORAL H400 Aquatic Acute 1 H411 Aquatic Chronic 2 |
| Terpineol | | | |
| CAS N° 8000-41-7 EC N° 232-268-1 IDX N° Registration number 01-2119553062-49-XXXX | C= 10.0% | | H315 Skin Irrit. 2 H319 Eye Irrit. 2 |
| camphene | | | |
| CAS N° 79-92-5 EC N° 201-234-8 IDX N° Registration number 01-2119446293-40-XXXX | C= 7.25% | | H228 Flam. Sol. 2 H319 Eye Irrit. 2 H400 Aquatic Acute 1 H410 Aquatic Chronic 1 |
| coumarin | | | |
| CAS N° 91-64-5 EC N° 202-086-7 IDX N° Registration number 01-2119949300-45-XXXX,01-2119943756-26-XXXX | C= 6.0% | | H302 Acute Tox. 4 ORAL H317 Skin Sens. 1B |
| phenethyl acetate | | | |
| CAS N° 103-45-7 EC N° 203-113-5 IDX N° Registration number 01-2119976340-38-XXXX | C= 4.0% | | H318 Eye Dam. 1 |
| methyl 2-naphthyl ether | | | |
| CAS N° 93-04-9 EC N° 202-213-6 IDX N° Registration number 01- | C= 2.5% | | H319 Eye Irrit. 2 H410 Aquatic Chronic 1 |

| | | | | |
|--|-----------------------|----------|--|--|
| number | 2119937828-21-XXXX | | | |
| pin-2(3)-ene | | | | |
| CAS N° | 80-56-8 | C= 2.2% | ETA (orale): 500 mg/kg | H226 Flam. Liq. 3 H302 Acute Tox. 4 ORAL H304 Asp. Tox. 1 H315 Skin Irrit. 2 H317 Skin Sens. 1B H400 Aquatic Acute 1 H410 Aquatic Chronic 1 |
| EC N° | 201-291-9 | | | |
| IDX N° | | | | |
| Registration number | 01-2119519223-49-XXXX | | | |
| bornan-2-one [1] | | | | |
| CAS N° | 76-22-2 | C= 2.03% | | H228 Flam. Sol. 1 H302 Acute Tox. 4 ORAL H315 Skin Irrit. 2 H318 Eye Dam. 1 H332 Acute Tox. 4 INHALATION H371 STOT SE 2 H411 Aquatic Chronic 2 |
| EC N° | 200-945-0 | | | |
| IDX N° | | | | |
| Registration number | 01-2119966156-31-XXXX | | | |
| benzaldehyde | | | | |
| CAS N° | 100-52-7 | C= 2.01% | ETA (cutanée): 2500 mg/kg ETA (inhalation, vapeur): 15 mg/l/4h ETA (orale): 1430 mg/kg | H302 Acute Tox. 4 ORAL H315 Skin Irrit. 2 H319 Eye Irrit. 2 H332 Acute Tox. 4 INHALATION H335 STOT SE 3 H335 H361 Repr. 2 H411 Aquatic Chronic 2 |
| EC N° | 202-860-4 | | | |
| IDX N° | 605-012-00-5 | | | |
| Registration number | 01-2119455540-44-XXXX | | | |
| 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene | | | | |
| CAS N° | 13466-78-9 | C= 1.65% | | H226 Flam. Liq. 3 H304 Asp. Tox. 1 H315 Skin Irrit. 2 H317 Skin Sens. 1 H332 Acute Tox. 4 INHALATION H361 Repr. 2 H400 Aquatic Acute 1 H410 Aquatic Chronic 1 |
| EC N° | 236-719-3 | | | |
| IDX N° | | | | |
| Registration number | 01-2119520252-55-XXXX | | | |
| (R)-p-mentha-1,8-diene | | | | |
| CAS N° | 5989-27-5 | C= 0.78% | M=1 | H226 Flam. Liq. 3 H304 Asp. Tox. 1 H315 Skin Irrit. 2 H317 Skin Sens. 1B H400 Aquatic Acute 1 H412 Aquatic Chronic 3 |
| EC N° | 227-813-5 | | | |
| IDX N° | 601-096-00-2 | | | |
| Registration number | 01-2119529223-47-XXXX | | | |
| p-mentha-1(7),2-diene | | | | |
| CAS N° | 555-10-2 | C= 0.39% | | H226 Flam. Liq. 3 H304 Asp. Tox. 1 H317 Skin Sens. 1 |
| EC N° | 209-081-9 | | | |
| IDX N° | | | | |
| Registration number | | | | |
| pin-2(10)-ene | | | | |
| CAS N° | 127-91-3 | C= 0.28% | | H226 Flam. Liq. 3 H304 Asp. Tox. 1 H315 Skin Irrit. 2 H317 Skin Sens. 1B H400 Aquatic Acute 1 H410 Aquatic Chronic 1 |
| EC N° | 204-872-5 | | | |
| IDX N° | | | | |
| Registration number | 01-2119519230-54-XXXX | | | |
| p-mentha-1,4(8)-diene | | | | |
| CAS N° | 586-62-9 | C= 0.17% | ETA (orale): 3775 mg/kg | H226 Flam. Liq. 3 H304 Asp. Tox. 1 |
| EC N° | 209-578-0 | | | |

| | | | |
|--|-----------|--|--|
| IDX N° Registration number 01-2119982325-32-XXXX | | | H317 Skin Sens. 1B H400 Aquatic Acute 1 H410 Aquatic Chronic 1 |
| 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one | | | |
| CAS N° 57378-68-4 EC N° 260-709-8 IDX N° Registration number | C = 0.16% | | H302 Acute Tox. 4 ORAL H315 Skin Irrit. 2 H317 Skin Sens. 1A H400 Aquatic Acute 1 H410 Aquatic Chronic 1 |
| caryophyllene | | | |
| CAS N° 87-44-5 EC N° 201-746-1 IDX N° Registration number 01-2120745237-53-XXXX | C = 0.11% | | H304 Asp. Tox. 1 H317 Skin Sens. 1B |
| phenylacetaldehyde | | | |
| CAS N° 122-78-1 EC N° 204-574-5 IDX N° Registration number 01-2120766865-37-XXXX | C = 0.1% | | H302 Acute Tox. 4 ORAL H314 Skin Corr. 1B H317 Skin Sens. 1B H318 Eye Dam. 1 H412 Aquatic Chronic 3 |

[1] Substance for which maximum workplace exposure limits are available.

Remark

Text phrases and H- EUH-: see section 16.

section 4

First aid measures

4.1 Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Do not leave affected person unattended.

Remove victim out of the danger area.

Keep affected person warm, still and covered.

Remove the affected person from the danger zone and lay down.

Following inhalation:

Remove person to fresh air and keep comfortable for breathing.

Following skin contact:

Remove contaminated, saturated clothing immediately.

After contact with skin, wash immediately with plenty of water and soap.

Take off immediately all contaminated clothing.

In case of skin irritation, consult a physician.

In case of skin reactions, consult a physician.

Following eye contact:

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect unharmed eye.

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Never give anything by mouth to an unconscious person or a person with cramps.

IF SWALLOWED: Rinse mouth.

Do NOT induce vomiting.

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

Treat symptomatically.

| | |
|----------------------------|------------------------------|
| section 5 | Firefighting measures |
|----------------------------|------------------------------|

5.1 Extinguishing media

Suitable extinguishing media:

- Foam.
- Extinguishing powder.
- Carbon dioxide (CO₂).
- Sand.

Unsuitable extinguishing media:

- Strong water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

- Do not inhale vapors and fumes.
- Co-ordinate fire-fighting measures to the fire surroundings.
- Move undamaged containers from immediate hazard area if it can be done safely.
- Use caution when applying carbon dioxide in confined spaces. carbon dioxide can displace oxygen.
- Use water spray jet to protect personnel and to cool endangered containers.
- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

| | |
|----------------------------|------------------------------------|
| section 6 | Accidental release measures |
|----------------------------|------------------------------------|

6.1 Personal precautions, protective equipment and emergency procedures

- Use personal protection equipment.
- Remove persons to safety.
- Provide adequate ventilation.
- Use appropriate respiratory protection.

6.2 Environmental precautions

- Ensure that waste is collected and contained.
- In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
- Avoid release to the environment.
- Cover drains.
- Ensure all waste water is collected and treated via a waste water treatment plant.
- Do not allow to enter into soil/subsoil.
- Do not allow to enter into surface water or drains.
- Retain contaminated washing water and dispose it.
- Contain leaks or spills within cabinets with removable trays.

6.3 Methods and material for containment and cleaning up

- Treat the recovered material as prescribed in the section on waste disposal.
- Collect in closed and suitable containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

Ventilate affected area.

Collect spillage.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Wipe up with absorbent material (eg. cloth, fleece).

6.4 Reference to other sections

Safe handling: see section 7.

Disposal: see section 13.

Personal protection equipment: see section 8.

Additional information

Not available

| | |
|----------------------------|-----------------------------|
| section 7 | Handling and Storage |
|----------------------------|-----------------------------|

7.1 Precautions for safe handling

PROTECTIVE MEASURES:

Avoid contact with skin, eyes and clothes.

Remove fume condensates periodically from extraction hoods, leads and other surfaces (wear personal protective clothing!) as there is a risk of catching fire.

Use only in well-ventilated areas.

If local exhaust ventilation is not possible or not enough, the entire work area must be ventilated by technical means.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Provide earthing of containers, equipment, pumps and ventilation facilities.

Take precautionary measures against static discharges.

Wear personal protective clothing (see section 8).

Sewers and ducts must be protected against the entry of the product.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Provide for retaining containers, eg. floor pan without outflow.

Provide adequate ventilation as well as local exhaustion at critical locations.

Vapours/aerosols should be exhausted directly at the point of origin.

Avoid breathing gas/fumes/vapour/spray.

Advices on general occupational hygiene:

Wash hands before breaks and after work.

Remove contaminated, saturated clothing immediately.

Wash contaminated clothing before reuse.

Street clothing should be stored separately from work clothing.

Work in well ventilated zones or use proper respiratory protection.

In the immediate working surroundings there must be:

Provide eye shower and label its location conspicuously.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry, cool, and well-ventilated place.

Keep container in upright position in order to prevent leakage.

Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area.

Ground/bond container and receiving equipment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Use isolated drainage to prevent discharge to soil.

Advice on joint storage:

Keep away from food, drink and animal feedingstuffs.

Keep away from clothing and other combustible materials.

Keep only in the original container in a cool, well-ventilated place, away from highly flammable substances.

Further information on storage conditions:

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

| | | |
|----------------|----------|--|
| section | 8 | Exposure controls/personal protection |
|----------------|----------|--|

8.1 Control parameters

Occupational exposure limits:

| Substance | Value | Unit | Type |
|-----------------------------------|-------|-------------------|-----------------------------|
| bornan-2-one CAS: 76-22-2 (GB) | 3 | ppm | Exposure limit (15 minutes) |
| bornan-2-one CAS: 76-22-2 (GB) | 19 | mg/m ³ | Exposure limit (15 minutes) |
| bornan-2-one CAS: 76-22-2 (GB) | 2 | ppm | Exposure limit (8 hours) |
| bornan-2-one CAS: 76-22-2 (GB) | 13 | mg/m ³ | Exposure limit (8 hours) |

Biological limit values:

Not available

Exposure limits at intended use:

Not available

Remark:

Not available

8.2 Exposure controls

Appropriate engineering controls:

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment:



Eye/face protection

- : **Suitable eye protection:**
Wear eye protection equipment.
- Recommended eye protection articles:**
Eye glasses with side protection.

Skin protection

- : **Hand protection:**
Suitable gloves type:
Wear protective gloves.
Suitable material:
NBR (nitrile rubber).
Butyl caoutchouc (butyl rubber).
Additional hand protection measures:
Do not wear gloves near machines and rotating tools.
Use gloves only once.
Remark:
When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the

Respiratory protection

supplier of these gloves.
 Breakthrough times and swelling properties of the material must be taken into consideration.
Body protection:
Suitable protective clothing:
 Lab coat.
Respiratory protection necessary at:
 If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.
Suitable respiratory protection apparatus:
 Wear respiratory protection.
Remark:
 The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.
 Observe the wear time limits as specified by the manufacturer.
 Use only respiratory protection equipment with CE-symbol including four digit test number.

Environmental exposure controls:

Not available

Consumer exposure controls:

Not available

Additional information

Not available

section
9

Physical and chemical Properties

9.1 Information on basic physical and chemical properties

| | | |
|--|---|---------------------------|
| Physical state | : | Liquid |
| Colour | : | Colorless To Pale Yellow. |
| Odour | : | Citrusy - Woody - Honeyed |
| pH | : | Not available |
| Melting point/freezing point | : | Not available |
| Initial boiling point and boiling range | : | Not available |
| Flash point | : | 56°C |
| Flammability | : | Not available |
| Upper/lower flammability or explosive limits | : | Not available |
| Vapour pressure | : | Not available |
| Vapour density | : | Not available |
| Relative density | : | 1.0045 |
| Solubility(ies) | : | Soluble |
| Partition coefficient n-octanol/water (log value) | : | Not applicable |
| Auto-ignition temperature | : | Not available |
| Decomposition temperature | : | Not available |
| Dynamic viscosity | : | Not applicable |
| Kinematic viscosity | : | Not available |
| Oxidising properties | : | Not available |
| Solubility in other Solvents | : | Not available |
| Particle characteristics | : | Not applicable |

9.2 Other safety information

Information concerning to the classes of physical hazards

Not available

Other security characteristics

Not available

| | | |
|---------|----|--------------------------|
| section | 10 | Stability and Reactivity |
|---------|----|--------------------------|

10.1 Reactivity

No data available.

10.2 Chemical stability

The product is stable when stored at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

Additional information

Not available

| | | |
|---------|----|---------------------------|
| section | 11 | Toxicological information |
|---------|----|---------------------------|

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The product is not classified.

Substances:

Not available

Acute dermal toxicity:

The product is not classified.

Substances:

Not available

Acute inhalation toxicity:

The product is not classified.

Substances:

Not available

Skin corrosion/irritation:

The product is not classified.

Substances:

Not available

Serious eye damage/irritation:

The product is classified Eye Dam. 1 according to the referenced regulation.

Causes serious eye damage.

Substances:

Not available

Skin sensitisation:

The product is classified Skin Sens. 1 according to the referenced regulation.

May cause an allergic skin reaction.

Substances:

Not available

Specific target organ toxicity (repeated exposure):

The product is not classified.

Substances:

Not available

Specific target organ toxicity (single exposure):

The product is not classified.

Substances:

Not available

Carcinogenicity:

The product is not classified.

Substances:

Not available

Reproductive toxicity:

The product is not classified.

Substances:

Not available

Germ cell mutagenicity:

The product is not classified.

Substances:

Not available

Sensitisation to the respiratory tract:

The product is not classified.

Substances:

Not available

Additional information:

Not available

11.2 Information on other hazards

Endocrine disrupting properties:

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

| | |
|---------|----------------------------------|
| section | 12 Ecological information |
|---------|----------------------------------|

12.1 Toxicity

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Substances:

Not available

12.2 Persistence and degradability

The product has not been tested.

Substances:

Not available

12.3 Bioaccumulative potential

The product has not been tested.

Substances:

Not available

12.4 Mobility in soil

The product has not been tested.

Substances:

Not available

12.5 Results of PBT and vPvB assessment

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

12.6 Endocrine disrupting properties

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

12.7 Other adverse effects

Not available

Additional ecotoxicological information

Not available

| | | |
|----------------|----|-------------------------|
| section | 13 | Disposal considerations |
|----------------|----|-------------------------|

13.1 Waste treatment methods

Product/Packaging disposal:

Waste codes/waste designations according to EWC/AVV:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste treatment options:

Appropriate disposal/Product:

Waste requiring special supervision.
 Dispose of waste according to applicable legislation.
 Delivery to an approved waste disposal company.

Appropriate disposal/Package:

Non-contaminated packages must be recycled or disposed of.
 Contaminated packing must be completely emptied and can be reused after proper cleaning.
 Packing which cannot be properly cleaned must be disposed of.
 Handle contaminated packages in the same way as the substance itself.
 Dispose of waste according to applicable legislation.

Remark:

For recycling, contact manufacturer.
 Collect the waste separately.
 Consult the appropriate authorities about waste disposal.
 Do not mix with other wastes.
 The waste is to be kept separate from other types of waste until its disposal.
 Concerning the waste it has to be checked, whether a transport authorisation is required.

Additional information

Not available

| | | |
|----------------|----|-----------------------|
| section | 14 | Transport information |
|----------------|----|-----------------------|

| | Land transport (ADR/RID): | Inland waterway transport (ADN): | Sea transport (IMDG): | Air transport (ICAO-TI/IATA-DGR): |
|---|--|--|--|--|
| 14.1 UN number: | 1266 | 1266 | 1266 | 1266 |
| 14.2 UN proper shipping name: | PERFUMERY PRODUCTS containing flammable solvents |
| 14.3 Transport hazard class(es): | | | | |

| | | | | |
|---------------------|---|---|---|---|
| Class or Division: | 3 | 3 | 3 | 3 |
| Hazard label(s): |  |  |  |  |
| 14.4 Packing group: | III | III | III | III |

14.5 Environmental hazards

Not available

14.6 Special precautions for user

Not available

14.7 Bulk shipping according to IMO instruments

Not available

Additional information

Not available

section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This SDS has been established in accordance with REACH regulation, including its amendments: REACH Regulation (EC) No 1907/2006.

This SDS has been established in accordance with CLP regulation, including its amendments: CLP Regulation EC No. 1272/2008.

EU legislation:

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]:

"Flammable liquids of category 2 or category 3 excluding heading 4330. The total quantity likely to be present in the installations, including underground cavities, being: 1. greater than or equal to 1,000 t

.....A 2. Greater than or equal to 100 t but less than 1,000 tE 3. Greater than or equal to 50 t but less than 100 t.....DC Low threshold quantity within the meaning of article R. 511-10:

5,000 t High threshold quantity within the meaning of article R. 511-10: 50,000 t".

"Hazardous to the aquatic environment, category acute 1 or chronic 1. The total quantity likely to be present in the facility being: 1. greater than or equal to 100 t.....A 2. Greater than or equal to 20 t but less than 100 t.....DC Low threshold quantity as defined in article R. 511-10: 100 t High threshold quantity as defined in article R. 511-10: 200 t".

"Hazardous to the aquatic environment, chronic category 2. The total quantity likely to be present in the installation being: 1. greater than or equal to 200 t.....A 2. Greater than or equal to 100 t but less than 200 tDC Low threshold quantity as defined in article R. 511-10: 200 t High threshold quantity as defined in article R. 511-10: 500 t".

EU legislation:

COMMISSION REGULATION (EU) 2023/1545 (Allergen List):

| Substance | CAS | EC |
|---|------------|-----------|
| benzyl benzoate | 120-51-4 | 204-402-9 |
| coumarin | 91-64-5 | 202-086-7 |
| (R)-p-mentha-1,8-diene | 5989-27-5 | 227-813-5 |
| 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one | 57378-68-4 | 260-709-8 |

CLP: Harmonised classification and labelling of hazardous substances (Annex VI, table 3.1)_ATP 17:

| Substance | CAS | EC |
|-----------|-----|----|
|-----------|-----|----|

| | | |
|------------------------|-----------|-----------|
| (R)-p-mentha-1,8-diene | 5989-27-5 | 227-813-5 |
|------------------------|-----------|-----------|

REACH: Annex XVII (Restrictions):

| Substance | CAS | EC |
|------------------------|-----------|-----------|
| (R)-p-mentha-1,8-diene | 5989-27-5 | 227-813-5 |

National regulations:

Cosmetic Ingredient Hotlist:

| Substance | CAS | EC |
|--------------|---------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |

Occupational Exposure Limit Values (long term) - Canada (Ontario):

| Substance | CAS | EC |
|---|------------|-----------|
| pin-2(3)-ene | 80-56-8 | 201-291-9 |
| 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene | 13466-78-9 | 236-719-3 |
| pin-2(10)-ene | 127-91-3 | 204-872-5 |

Occupational Exposure Limit Values (long term) - Canada (Quebec):

| Substance | CAS | EC |
|--------------|---------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |

Occupational Exposure Limit Values (long term) - Ireland:

| Substance | CAS | EC |
|--------------|---------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |

Occupational Exposure Limit Values (long term) - US (NIOSH):

| Substance | CAS | EC |
|--------------|---------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |

Occupational Exposure Limit Values (long term) - US (OSHA):

| Substance | CAS | EC |
|--------------|---------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |

Occupational Exposure Limit Values (long term) - United Kingdom:

| Substance | CAS | EC |
|--------------|---------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |

Occupational Exposure Limit Values (short term) - Canada (Ontario):

| Substance | CAS | EC |
|--------------|----------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |
| benzaldehyde | 100-52-7 | 202-860-4 |

Occupational Exposure Limit Values (short term) - Canada (Quebec):

| Substance | CAS | EC |
|--------------|---------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |

Occupational Exposure Limit Values (short term) - Ireland:

| Substance | CAS | EC |
|--------------|---------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |

Occupational Exposure Limit Values (short term) - United Kingdom:

| Substance | CAS | EC |
|--------------|---------|-----------|
| bornan-2-one | 76-22-2 | 200-945-0 |

U.S. - NY - RTK:

| Substance | CAS | EC |
|-----------|-----|----|
| | | |

| | | |
|-----------------------|----------|-----------|
| camphene | 79-92-5 | 201-234-8 |
| pin-2(3)-ene | 80-56-8 | 201-291-9 |
| benzaldehyde | 100-52-7 | 202-860-4 |
| p-mentha-1,4(8)-diene | 586-62-9 | 209-578-0 |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Additional information

Not available

section **16** Other information

Indication of changes

Not applicable (first edition of the MSDS).

Abbreviations and acronyms

CAS: Chemical Abstract Service Number.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods Code.

DPD Dangerous Preparation Directive.

UN number: United Nations number.

No EC: European Commission Number.

ADN/ADNR: Regulations concerning the transport of dangerous substances in barges on the waterways.

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road/Regulations concerning the international carriage of dangerous goods by rail.

CLP: Classification, labeling and packaging.

VPvB: very persistent and very bioaccumulative substances.

Key literature references and sources for data

No data available.

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification of the mixture is in accordance with the evaluation method described in Regulation (EC) No 1272/2008.

Relevant R-, H- and EUH-phrases (Number and full text)

| | | |
|------|-------------------------|---|
| H226 | Flam. Liq. 3 | Flammable liquid and vapour. |
| H228 | Flam. Sol. 2 | Flammable solid. |
| H302 | Acute Tox. 4 ORAL | Harmful if swallowed |
| H304 | Asp. Tox. 1 | May be fatal if swallowed and enters airways. |
| H314 | Skin Corr. 1B | Causes severe skin burns and eye damage |
| H315 | Skin Irrit. 2 | Causes skin irritation. |
| H317 | Skin Sens. 1 | May cause an allergic skin reaction. |
| H318 | Eye Dam. 1 | Causes serious eye damage |
| H319 | Eye Irrit. 2 | Causes serious eye irritation |
| H332 | Acute Tox. 4 INHALATION | Harmful if inhaled. |
| H335 | STOT SE 3 H335 | May cause respiratory irritation |
| H361 | Repr. 2 | Suspected of damaging fertility or the unborn child. |
| H371 | STOT SE 2 | May cause damage to organs. |
| H400 | Aquatic Acute 1 | Very toxic to aquatic life. |
| H410 | Aquatic Chronic 1 | Very toxic to aquatic life with long lasting effects. |
| H411 | Aquatic Chronic 2 | Toxic to aquatic life with long lasting effects. |
| H412 | Aquatic Chronic 3 | Harmful to aquatic life with long lasting effects |

Training advice

Refer to Sections 4, 5, 6, 7 and 8 of this safety data sheet.

Additional information

Creation date: 23/02/2026

Version date: 23/02/2026

Printing date: 23/02/2026

The information given in this Safety Data Sheet is based on our present knowledge and on European and national regulations. This Safety Data Sheet describes safety requirements relative to identified uses, it doesn't guarantee all the product properties particularly in the case of non identified uses. The product mustn't be used for any uses other than those identified under heading 1. Since the user's working conditions are not known by us, it is the responsibility of the user to take all necessary measures to comply with legal requirements for specific uses and avoid negative health effects.