

Version: 12

Version date: 12/12/2025

Language: EN

According\_to\_Regulation\_CLP21

## Safety Data Sheet

 $\mathbf{1}$ 

Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name/designation : Scent romarin.

Article No (user) : 2033378.

UFI : On hlold

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses** : Ingredient for industrial use: perfume composition.

Uses advised against : No data available.

### 1.3 Details of the supplier of the safety data sheet

Supplier : Name: LAB SAS

**Street**: 1 rue de la clef des champs **Postal code/City**: 68600 Volgelsheim

Country: France: Telephone: 0389227765 E-mail: Office@labsys.fr

### 1.4 <u>Emergency Telephone Number</u>

### **United Kingdom:**

+35625454030 +35 (0) 31 837 9964 (medical professionals) +35 (0) 31 809 2166 (public) In England and Wales: dial 111 (NHS 111), In Scotland: dial 111 (NHS 24), In Northern Ireland: Contact your local GP or pharmacist during normal hours. During GP Out-of-Hours (www.gpoutofhours.hscni.net/): Belfast HSC Trust, (North & West) 028 9074 4447, (South & East) 028 9079 6220 South Eastern HSC Trust, (North Down & Ards) 028 9182 2344, (Lisburn & Downpatrick) 028 9260 2204, Dalriada Urgent Care (Northern Trust area) 028 2566 3500, Southern HSC Trust 028 3839 9201, Western Urgent Care 028 7186 5195

## **5 2**

### Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to the regulation (EC) n°1272/2008 (CLP) and its amendments

### **Hazards identification:**

H226 Flam. Liq. 3 Flammable liquid and vapour. H315 Skin Irrit. 2 Causes skin irritation.

H317 Skin Sens. 1B May cause an allergic skin reaction.

H318 Eye Dam. 1 Causes serious eye damage

H411 Aquatic Chronic 2 Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

Label elements according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Labelling

### **Hazard pictograms**



### Signal word

### **Hazard Statements**

H226	Flammable liquid a	and vapour.
------	--------------------	-------------

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage

H411 Toxic to aquatic life with long lasting effects.

### Supplemental Hazard information (EU)

EUH208 Contains pin-2(3)-ene, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, pin-2(10)-

ene, caryophyllene, cineole, (R)-p-mentha-1,8-diene. May produce an allergic reaction.

### **Precautionary Statements - Prevention**

	P210	Keep awa	v from heat	, hot surfaces,	, sparks,	, open flames and	l all other i	gnition sources. Do not smoke.
--	------	----------	-------------	-----------------	-----------	-------------------	---------------	--------------------------------

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/.../equipment. P241

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash ... thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

### **Precautionary Statements - Response**

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+ IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P353

P305+P351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

P338 do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use ... to extinguish.

P391 Collect spillage.

### **Precautionary Statements - Storage**

P403+P235 Store in a well-ventilated place. Keep cool.

### **Precautionary Statements - Disposal**

P501 Dispose of contents/container to ....

### **Contains**

bornan-2-one, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, thymol, DL-borneol

#### 2.3 Other hazards

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

## Composition/information on ingredients

#### 3.2 Mixtures



In accordance with the product knowledge, no nanomaterials have been identified.

The mixture does not contain any substances classified as Substances of Very High Concern (SVHC) by the European

CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table.

cl	actonics	Concentration	Specific		Classification
Suk	Substance		concentration limits		Classification
cineole			65		
CAS N°	470-82-6	C= 25.82%		H226	Flam. Liq. 3
EC N°	207-431-5			H317	Skin Sens. 1B
IDX N°					
Registration	01-				
number	2119967772-				
	24-XXXX				
bornan-2-one	[1]			•	
CAS N°	76-22-2	C= 7.78%		H228	Flam. Sol. 1
EC N°	200-945-0			H302	Acute Tox. 4 ORAL
IDX N°				H315	Skin Irrit. 2
Registration	01-			H318	Eye Dam. 1
number	2119966156-			H332	Acute Tox. 4 INHALATION
	31-XXXX			H371	STOT SE 2
				H411	Aquatic Chronic 2
Terpineol					
CAS N°	8000-41-7	C= 3.8%		H315	Skin Irrit. 2
EC N°	232-268-1			H319	Eye Irrit. 2
IDX N°					
Registration	01-				
number	2119553062-				
	49-XXXX				
	7,8-octahydro-2,3,	8,8-tetramethyl-2-na	phthyl)ethan-1-one		
CAS N°	54464-57-2	C= 3.33%		H315	Skin Irrit. 2
EC N°	259-174-3			H317	
IDX N°				H410	Aquatic Chronic 1
Registration					
number					
thymol		1	1	T	
CAS N°	89-83-8	C= 2.13%		H302	Acute Tox. 4 ORAL
EC N°	201-944-8			H314	Skin Corr. 1B
IDX N°	604-032-00-1			H318	Eye Dam. 1
Registration	01-			H411	Aquatic Chronic 2
number	2119511177-				
	46-XXXX				
camphene		1	1		
CAS N°	79-92-5	C= 1.77%		H228	Flam. Sol. 2
EC N°	201-234-8			H319	Eye Irrit. 2
IDX N°				H400	Aquatic Acute 1
Registration	01-			H410	Aquatic Chronic 1
number	2119446293-				
	40-XXXX				
DL-borneol		T _	T	T -	
CAS N°	507-70-0	C= 1.57%		H228	Flam. Sol. 1
EC N°	208-080-0			H315	Skin Irrit. 2
IDX N°				H318	Eye Dam. 1
Registration	01-			H411	Aquatic Chronic 2
number	2120768418-				
	42-XXXX				
pin-2(3)-ene		T	T	T	
CAS N°	80-56-8	C= 1.49%	ETA (orale): 500	H226	Flam. Liq. 3
EC N°	201-291-9		mg/kg	H302	Acute Tox. 4 ORAL



•					
IDX N°				H304	Asp. Tox. 1
Registration	01-			H315	Skin Irrit. 2
number	2119519223-			H317	Skin Sens. 1B
	49-XXXX			H400	Aquatic Acute 1
				H410	Aquatic Chronic 1
(R)-p-mentha-		T		T	
CAS N°	5989-27-5	C= 1.42%	M=1	H226	Flam. Liq. 3
EC N°	227-813-5			H304	Asp. Tox. 1
IDX N°	601-096-00-2			H315	Skin Irrit. 2
Registration	01-			H317	Skin Sens. 1B
number	2119529223-			H400	Aquatic Acute 1
	47-XXXX			H412	Aquatic Chronic 3
caryophyllene		T		T	
CAS N°	87-44-5	C= 1.37%		H304	Asp. Tox. 1
EC N°	201-746-1			H317	Skin Sens. 1B
IDX N°					
Registration	01-				
number	2120745237-				
	53-XXXX				
3,5,5-trimethy				1	
CAS N°	58430-94-7	C= 1.13%		H411	Aquatic Chronic 2
EC N°	261-245-9				
IDX N°					
Registration	01-				
number	2119972325-				
	34-XXXX				
pin-2(10)-ene		T		T	
CAS N°	127-91-3	C= 0.63%		H226	Flam. Liq. 3
EC N°	204-872-5			H304	Asp. Tox. 1
IDX N°				H315	Skin Irrit. 2
Registration	01-			H317	Skin Sens. 1B
number	2119519230-			H400	Aquatic Acute 1
	54-XXXX			H410	Aquatic Chronic 1
p-cymene		T .	T	1	
CAS N°	99-87-6	C= 0.61%	ETA (orale): 4750	H226	Flam. Liq. 3
EC N°	202-796-7		mg/kg	H304	Asp. Tox. 1
IDX N°	601-094-00-1		ETA (inhalation,	H331	Acute Tox. 3 INHALATION
Registration	01-		vapeur): 9.7	H361	Repr. 2
number	2119956657-		mg/l/4h	H411	Aquatic Chronic 2
	21-XXXX				
p-mentha-1,4-		T =	T	1	
CAS N°	99-85-4	C= 0.5%	ETA (orale): 3650	H226	Flam. Liq. 3
EC N°	202-794-6		mg/kg	H304	Asp. Tox. 1
IDX N°				H361	Repr. 2
Registration	01-			H411	Aquatic Chronic 2
number	2120780478-				
	40-XXXX	-		1	
	ethyleneocta-1,6-d		T	T .	
CAS N°	123-35-3	C= 0.23%	M=1	H226	Flam. Liq. 3
EC N°	204-622-5		M(Chronic)=1	H304	Asp. Tox. 1
IDX N°				H315	Skin Irrit. 2
Registration	01-			H319	Eye Irrit. 2
number	2119514321-			H400	Aquatic Acute 1
<u> </u>	56-XXXX			H411	Aquatic Chronic 2
linalool		T -	T,		
CAS N°	78-70-6	C= 0.09%	ETA (orale): 2790	H315	Skin Irrit. 2
EC N°	201-134-4		mg/kg	H317	Skin Sens. 1B



IDX N°	603-235-00-2		1	H319	Eye Irrit. 2
Registration	01-			11319	Lye IIII. 2
number	2119474016-				
namber	42-XXXX				
p-mentha-1,5-		L		1	
CAS N°	99-83-2	C= 0.09%		H226	Flam. Liq. 3
EC N°	202-792-5			H304	Asp. Tox. 1
IDX N°				H317	Skin Sens. 1B
Registration				H400	Aquatic Acute 1
number				H410	Aquatic Chronic 1
p-menth-1-en-	-4-ol			•	
CAS N°	562-74-3	C= 0.07%	ETA (inhalation,	H302	Acute Tox. 4 ORAL
EC N°	209-235-5		vapeur): 11	H315	Skin Irrit. 2
IDX N°			mg/l/4h	H317	
Registration	01-		ETA (orale): 1300	H319	•
number	2120748638-		mg/kg	H332	
	40-XXXX		ETA (cutanée):	H336	STOT SE 3 H336
			2500 mg/kg		
p-mentha-1,3-		C 0.070/	FTA / 1 ) 4600	Luaac	El 1: 2
CAS N°	99-86-5	C= 0.07%	ETA (orale): 1680	H226	Flam. Liq. 3
EC N°	202-795-1		mg/kg	H302	Acute Tox. 4 ORAL
IDX N°	601-095-00-7			H304 H317	Asp. Tox. 1 Skin Sens. 1B
Registration	01-			H319	Eye Irrit. 2
number	2120766853-			H411	Aquatic Chronic 2
p-mentha-1,4(	42-XXXX			11411	Aquatic cirronic 2
CAS N°	586-62-9	C= 0.06%	M=1	H304	Asp. Tox. 1
EC N°	209-578-0	C= 0.0070	141-1	H317	Skin Sens. 1B
IDX N°	203 370 0			H400	Aquatic Acute 1
Registration	01-			H410	Aquatic Chronic 1
number	2119982325-				
namber	32-XXXX				
3,7,7-trimethy	lbicyclo[4.1.0]hep	t-3-ene		1	
CAS N°	13466-78-9	C= 0.02%		H226	Flam. Liq. 3
EC N°	236-719-3			H304	Asp. Tox. 1
IDX N°				H315	Skin Irrit. 2
Registration	01-			H317	Skin Sens. 1
number	2119520252-			H332	Acute Tox. 4 INHALATION
	55-XXXX			H361	Repr. 2
				H400	Aquatic Acute 1
				H410	Aquatic Chronic 1
p-mentha-1(7)		T	1	1	
CAS N°	555-10-2	C= 0.02%		H226	Flam. Liq. 3
EC N°	209-081-9			H304	Asp. Tox. 1
IDX N°				H317	Skin Sens. 1
Registration					
number			 e limits are available.	1	

<sup>[1]</sup> Substance for which maximum workplace exposure limits are available.

### **Remark**

Text phrases and H- EUH-: see section 16.

First aid measures

### 4.1 <u>Description of first aid measures</u>

**General information:** 

# itdb

### Scent romarin

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Do not leave affected person unattended.

Remove victim out of the danger area.

Keep affected person warm, still and covered.

Remove the affected person from the danger zone and lay down.

### Following inhalation:

Remove person to fresh air and keep comfortable for breathing.

### Following skin contact:

Remove contaminated, saturated clothing immediately.

After contact with skin, wash immediately with plenty of water and soap.

Take off immediately all contaminated clothing.

In case of skin irritation, consult a physician.

In case of skin reactions, consult a physician.

### Following eye contact:

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect unharmed eye.

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### Following ingestion:

Never give anything by mouth to an unconscious person or a person with cramps.

IF SWALLOWED: Rinse mouth.

Do NOT induce vomiting.

### Self-protection of the first aider:

First aider: Pay attention to self-protection!.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

Treat symptomatically.

## **5** Section

### Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing media:

Foam.

Extinguishing powder.

Carbon dioxide (CO2).

Sand.

### Unsuitable extinguishing media:

Strong water jet.

### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

### 5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### Additional information

Do not inhale vapors and fumes.

Co-ordinate fire-fighting measures to the fire surroundings.

Move undamaged containers from immediate hazard area if it can be done safely.

Use caution when applying carbon dioxide in confined spaces. carbon dioxide can displace oxygen.

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# itdb

### **Scent romarin**

# 6

### Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

Remove persons to safety.

Provide adequate ventilation.

Use appropriate respiratory protection.

### 6.2 Environmental precautions

Ensure that waste is collected and contained.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Avoid release to the environment.

Cover drains.

Ensure all waste water is collected and treated via a waste water treatment plant.

Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

Contain leaks or spills within cabinets with removable trays.

### 6.3 Methods and material for containment and cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed and suitable containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

Ventilate affected area.

Collect spillage.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Wipe up with absorbent material (eg. cloth, fleece).

### 6.4 Reference to other sections

Safe handling: see section 7.

Disposal: see section 13.

Personal protection equipment: see section 8.

### **Additional information**

Not available

## ection 7

### **Handling and Storage**

### 7.1 Precautions for safe handling

### **PROTECTIVE MEASURES:**

Avoid contact with skin, eyes and clothes.

Remove fume condensates periodically from extraction hoods, leads and other surfaces (wear personal protective clothing!) as there is a risk of catching fire.

Use only in well-ventilated areas.

If local exhaust ventilation is not possible or not enough, the entire work area must be ventilated by technical means.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Provide earthing of containers, equipment, pumps and ventilation facilities.

Take precautionary measures against static discharges.

Wear personal protective clothing (see section 8).

Sewers and ducts must be protected against the entry of the product.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Provide for retaining containers, eg. floor pan without outflow.

Provide adequate ventilation as well as local exhaustion at critical locations.

Vapours/aerosols should be exhausted directly at the point of origin.

Avoid breathing gas/fumes/vapour/spray.



### Advices on general occupational hygiene:

Wash hands before breaks and after work.

Remove contaminated, saturated clothing immediately.

Wash contaminated clothing before reuse.

Street clothing should be stored seperately from work clothing.

Work in well ventilated zones or use proper respiratory protection.

### In the immediate working surroundings there must be:

Provide eye shower and label its location conspicuously.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry, cool, and well-ventilated place.

Keep container in upright position in order to prevent leakage.

### Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area.

Ground/bond container and receiving equipment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Use isolated drainage to prevent discharge to soil.

### Advice on joint storage:

Keep away from food, drink and animal feedingstuffs.

Keep away from clothing and other combustible materials.

Keep only in the original container in a cool, well-ventilated place, away from highly flammable substances.

### **Further information on storage conditions:**

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

### 7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8 section

### Exposure controls/personal protection

### 8.1 Control parameters

### Occupational exposure limits:

Substance	Value	Unit	Туре
Substance	value	Offic	Туре
bornan-2-one	3	ppm	Exposure limit (15 minutes)
CAS: 76-22-2 (GB)			
bornan-2-one	19	mg/m\u00b3	Exposure limit (15 minutes)
CAS: 76-22-2 (GB)			
bornan-2-one	2	ppm	Exposure limit (8 hours)
CAS: 76-22-2 (GB)			
bornan-2-one	13	mg/m\u00b3	Exposure limit (8 hours)
CAS: 76-22-2 (GB)			

### **Biological limit values:**

Not available

**Exposure limits at intended use:** 

Not available

Remark:

Not available

### 8.2 Exposure controls

### **Appropriate engineering controls:**

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment:





Eye/face protection

Suitable eye protection:

Wear eye protection equipment.

Recommended eye protection articles:

Eye glasses with side protection.

Skin protection : Hand protection:

Suitable gloves type:

Wear protective gloves.

Suitable material:

NBR (nitrile rubber).

Butyl caoutchouc (butyl rubber).

Additional hand protection measures:

Do not wear gloves near machines and rotating tools.

Use gloves only once.

Remark:

When handling with chemical substances, protective gloves must be worn

with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of

hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the

supplier of these gloves.

Breakthrough times and swelling properties of the material must be taken

into consideration. **Body protection**:

Suitable protective clothing:

Lab coat.

Respiratory protection : Respiratory protection necessary at:

If technical exhaust or ventilation measures are not possible or insufficient,

respiratory protection must be worn.

Suitable respiratory protection apparatus:

Wear respiratory protection.

Remark:

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained

breathing apparatus must be used.

Observe the wear time limits as specified by the manufacturer.

Use only respiratory protection equipment with CE-symbol including four  $\,$ 

digit test number.

**Environmental exposure controls:** 

Not available

Consumer exposure controls:

Not available

**Additional information** 

Not available

ection 9

### **Physical and chemical Properties**

### 9.1 <u>Information on basic physical and chemical properties</u>

Physical state : Liquid

**Colour** : Colorless To Pale Yellow.



Odour : Agreste - Characteristic - Cedar

pH : Not available
 Melting point/freezing point : Not available
 Initial boiling point and boiling range : Not available

Flash point : 59°C

Flammability : Not available Upper/lower flammability or explosive : Not available

limits

Vapour pressure:Not availableVapour density:Not availableRelative density:0.8932Solubility(ies):Soluble

Partition coefficient n-octanol/water : Not applicable

(log value)

Auto-ignition temperature: Not availableDecomposition temperature: Not availableDynamic viscosity: Not applicableKinematic viscosity: Not availableOxidising properties: Not availableSolubility in other Solvents: Not availableParticle characteristics: Not applicable

### 9.2 Other safety information

Information concerning to the classes of physical hazards

Not available

Other security characteristics

Not available

**10** 

### Stability and Reactivity

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

The product is stable when stored at normal ambient temperatures.

### 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4 Conditions to avoid

No data available.

### 10.5 <u>Incompatible materials</u>

No data available.

### 10.6 <u>Hazardous decomposition products</u>

Does not decompose when used for intended uses.

### **Additional information**

Not available

**11** 

### **Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute oral toxicity:

The product is not classified.

# itdb

### Scent romarin

#### **Substances:**

Not available

### Acute dermal toxicity:

The product is not classified.

### **Substances:**

Not available

### **Acute inhalation toxicity:**

The product is not classified.

#### **Substances:**

Not available

### Skin corrosion/irritation:

The product is not classified.

#### **Substances:**

Not available

### Serious eye damage/irritation:

The product is classified Eye Dam. 1 according to the referenced regulation.

Causes serious eye damage.

#### **Substances:**

Not available

### Skin sensitisation:

The product is classified Skin Sens. 1B according to the referenced regulation.

May cause an allergic skin reaction.

### **Substances:**

Not available

### **Specific target organ toxicity (repeated exposure):**

The product is not classified.

### **Substances:**

Not available

### Specific target organ toxicity (single exposure):

The product is not classified.

### **Substances:**

Not available

### **Carcinogenicity:**

The product is not classified.

### **Substances:**

Not available

### **Reproductive toxicity:**

The product is not classified.

#### **Substances:**

Not available

### **Germ cell mutagenicity:**

The product is not classified.

### **Substances:**

Not available

### Sensitisation to the respiratory tract:

The product is not classified.

### **Substances:**

Not available

### **Additional information:**

Not available

### 11.2 Information on other hazards

### **Endocrine disrupting properties:**

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.



## **12** | Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

**Substances:** 

Not available

### 12.2 Persistence and degradability

The product has not been tested.

**Substances:** 

Not available

### 12.3 Bioaccumulative potential

The product has not been tested.

**Substances:** 

Not available

### 12.4 Mobility in soil

The product has not been tested.

**Substances:** 

Not available

### 12.5 Results of PBT and vPvB assessment

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

### 12.6 Endocrine disrupting properties

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

### 12.7 Other adverse effects

Not available

### Additional ecotoxicological information

Not available

### **Disposal considerations**

### 13.1 Waste treatment methods

### **Product/Packaging disposal:**

### Waste codes/waste designations according to EWC/AVV:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Waste treatment options:

### Appropriate disposal/Product:

Waste requiring special supervision.

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

### **Appropriate disposal/Package:**

Non-contaminated packages must be recycled or disposed of.

Contaminated packing must be completely emptied and can be reused after proper cleaning.

Packing which cannot be properly cleaned must be disposed of.

Handle contaminated packages in the same way as the substance itself.

Dispose of waste according to applicable legislation.

For recycling, contact manufacturer.

Collect the waste separately.



Consult the appropriate authorities about waste disposal.

Do not mix with other wastes.

The waste is to be kept separate from other types of waste until its disposal.

Concerning the waste it has to be checked, whether a transport authorisation is required.

### **Additional information**

Not available

ig 14

### **Transport information**

		Land transport (ADR/RID):	Inland waterway transport (ADN):	Sea transport (IMDG):	Air transport (ICAO-TI/IATA- DGR):
<u>14.1</u>	UN number:	1266	1266	1266	1266
<u>14.2</u>	UN proper shipping name:	PERFUMERY PRODUCTS containing flammable solvents			
<u>14.3</u>	Transport hazard class(es):				
	Class or Division:	3	3	3	3
	Hazard label(s):		•	•	
<u>14.4</u>	Packing group:	I	I	I	I

### 14.5 Environmental hazards

Not available

### 14.6 **Special precautions for user**

Not available

### 14.7 **Bulk shipping according to IMO instruments**

Not available

### <u>Additional information</u>

Not available

**15** 

### Regulatory information

# 15.1 <u>Safety, health and environmental regulations/legislation specific for the substance or</u> mixture

This SDS has been established in accordance with REACH regulation, including its amendments: REACH Regulation (EC) No 1907/2006.

This SDS has been established in accordance with CLP regulation, including its amendments: CLP Regulation EC No. 1272/2008.

**EU** legislation:

### Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]:

"Flammable liquids of category 2 or category 3 excluding heading 4330. The total quantity likely to be present in the installations, including underground cavities, being: 1. greater than or equal to 1,000 t



1,000 t	E 3. Greater than or equal to 50 t	t but less than 100
tDC	Low threshold quantity within th	e meaning of article R. 511-10:
5,000 t High threshold quantity within the meaning of	article R. 511-10: 50,000 t".	
"Hazardous to the aquatic environment, chronic categ	ory 2. The total quantity likely to	be present in the installation
being: 1. greater than or equal to 200 t		A 2. Greater
than or equal to 100 t but less than 200 t		
defined in article R. 511-10: 200 t High threshold quan	tity as defined in article R. 511-1	0: 500 t".
EU legislation:		
COMMISSION REGULATION (EU) 2023/1545 (Allergen	List):	
Substance	CAS	EC
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5
CLP: Harmonised classification and labelling of hazard	lous substances (Annex VI, table	2 3.1)_ATP 17:
Substance	CAS	EC
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5
p-cymene	99-87-6	202-796-7
p-mentha-1,3-diene	99-86-5	202-795-1
REACH: Annex XVII (Restrictions):		
Substance	CAS	EC
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5
National regulations:		
California proposition 65:		
Substance	CAS	EC
7-methyl-3-methyleneocta-1,6-diene	123-35-3	204-622-5
Cosmetic Ingredient Hotlist:		
Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
Occupational Exposure Limit Values (long term) - Can	ada (Ontario):	
Substance	CAS	EC
pin-2(3)-ene	80-56-8	201-291-9
pin-2(10)-ene	127-91-3	204-872-5
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9	236-719-3
Occupational Exposure Limit Values (long term) - Can	ada (Quebec):	
Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
Occupational Exposure Limit Values (long term) - Irela	and:	
Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
p-mentha-1,3-diene	99-86-5	202-795-1
Occupational Exposure Limit Values (long term) - US (	(NIOSH):	
Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
Occupational Exposure Limit Values (long term) - US (	(OSHA):	
Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
Occupational Exposure Limit Values (long term) - Unit		1

Occupational Exposure Limit Values (long term) - United Kingdom:



Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
Occupational Exposure Limit Values (short term)	- Canada (Ontario):	
Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
Occupational Exposure Limit Values (short term)	- Canada (Quebec):	•
Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
Occupational Exposure Limit Values (short term)	- Ireland:	
Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
Occupational Exposure Limit Values (short term)	- United Kingdom:	
Substance	CAS	EC
bornan-2-one	76-22-2	200-945-0
U.S NY - RTK:		
Substance	CAS	EC
camphene	79-92-5	201-234-8
DL-borneol	507-70-0	208-080-0
pin-2(3)-ene	80-56-8	201-291-9

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### Additional information

Not available

**§ 16** 

### Other information

### **Indication of changes**

Not applicable (first edition of the MSDS).

### Abbreviations and acronyms

CAS: Chemical Abstract Service Number.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods Code.

DPD Dangerous Preparation Directive. UN number: United Nations number.

No EC: European Commission Number.

ADN/ADNR: Regulations concerning the transport of dangerous substances in barges on the waterways.

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road/Regulations

concerning the international carriage of dangerous goods by rail.

CLP: Classification, labeling and packaging.

VPvB: very persistent and very bioaccumulative substances.

### **Key literature references and sources for data**

No data available.

# Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification of the mixture is in accordance with the evaluation method described in Regulation (EC) No 1272/2008.

### Relevant R-, H- and EUH-phrases (Number and full text)



H226	Flam. Liq. 3	Flammable liquid and vapour.
H228	Flam. Sol. 1	Flammable solid.
H302	Acute Tox. 4 ORAL	Harmful if swallowed
H304	Asp. Tox. 1	May be fatal if swallowed and enters airways.
H314	Skin Corr. 1B	Causes severe skin burns and eye damage
H315	Skin Irrit. 2	Causes skin irritation.
H317	Skin Sens. 1B	May cause an allergic skin reaction.
H318	Eye Dam. 1	Causes serious eye damage
H319	Eye Irrit. 2	Causes serious eye irritation
H331	Acute Tox. 3 INHALATION	Toxic if inhaled.
H332	Acute Tox. 4 INHALATION	Harmful if inhaled.
H336	STOT SE 3 H336	May cause drowsiness or dizziness
H361	Repr. 2	Suspected of damaging fertility or the unborn child.
H371	STOT SE 2	May cause damage to organs.
H400	Aquatic Acute 1	Very toxic to aquatic life.
H410	Aquatic Chronic 1	Very toxic to aquatic life with long lasting effects.
H411	Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.
H412	Aquatic Chronic 3	Harmful to aquatic life with long lasting effects

### **Training advice**

Refer to Sections 4, 5, 6, 7 and 8 of this safety data sheet.

### **Additional information**

Creation date: 12/12/2025 Version date: 12/12/2025 Printing date: 12/12/2025

The information given in this Safety Data Sheet is based on our present knowledge and on European and national regulations. This Safety Data Sheet describes safety requirements relative to identified uses, it doesn't guarantee all the product properties particularly in the case of non identified uses. The product mustn't be used for any uses other than those identified under heading 1. Since the user's working conditions are not known by us, it is the responsability of the user to take all necessary measures to comply with legal requirements for specific uses and avoid negative health effects.